
ফেনী পল্লী বিদ্যুৎ সমিতি মহিপাল, ফেনী।

Month of June-2021

APA Achievement Target for 2020-21

APA Achievement Target for 2020-21												
SI No	Description of Target Items		Unit	Weight Factor	Target for 2020-21	Achievement June-21	Remarks					
1	SYSTEM LOSS (Grid METER)(w/o resale)	LB	%	24	8.80%	8.66%.	Achieved					
2	ACCOUNTS RECEIVABLE [MONTH](w/o GOB rebate & resale)	LB	Month	14	1.10	0.76	Achieved					
3	COLLECTION BILL(CB) RATIO(w/o GOB rebate & resale)	НВ	%	1	98%.	102.83%.	Achieved					
4	PAYMENT OF DEBT SERVICE [TK'000]	НВ	Tk	7	1,50,000	176,514	Achieved					
5	O&M EXPENSES/KWH	LB	Tk	2	1.14	1.07	Achieved					
6	REVENUE/ KM OF LINE [TK'000]	НВ	Tk	1	353	430	Achieved					
7	RATIO OF INSPECTION & MAINTANCE OF DISTRI. LINE AGAINST ENERGIED LINE(KM)	НВ	Km	1	100%	100%	Achieved					
8	RATIO OF DAMAGED & REPAIRABLE TRANSFORMER AG. TOTAL INSTALLED TRANSFORMER (%)	НВ	%	1	0.10 %.	4.78%.	No					
9	PERCENTAGE OF DAMAGED X-FORMER REPAIRED	НВ	%	1	95%	95%	Achieved					
10	STORE MANAGEMENT PERFORMANCE:											
i)	Physical Inventory of all stores under the PBS	НВ	%	1	All Store	100%	Achieved					
ii)	Timely close-out of Mini & Force Work order	НВ	%	1	90%	90%	Achieved					
11	Maintenance and Upgradation of TMLM	НВ	%	2	80%	80%	Achieved					
12	IMPROVEMENT OF POWER FACTOR	НВ	%	1 .	0.92	0.92	Achieved					
13	ACTION ON METER REPORT	НВ	%	1	100%	100%	Achieved					
14	AVERAGE TRAINNING HOUR PER EMPLOYEE	НВ	Hour	2	65	77.16	Achieved					
15	TIMELINESS TO ATTEND CONSUMERS' COMPLAIN	LB	%	1	100%	100%	Achieved					
16	NO. OF PUBLIC HEARING	НВ	No	2	12	45	Achieved					
17	SYSTEM AVERAGE INTERRUPTION DURATION INDEX	LB	Minute	1.5	800	800	Achieved					
18	SYSTEM AVERAGE INTERRUPTION FREQUENCY INDEX	LB	Times	1.5	38	38	Achieved					
19	% OF OVER LOADED TRANSFORMER AG. TOTAL INSTALLED	LB	%	1	0.02%.	0.02%.	Achieved					
20	% OF NEW CONNECTED CONSUMER	НВ	%	2	100%	100%	Achieved					
21	ACCOUNTS PAYABLE	LB	Month	1	1	1	Achieved					
22	INTER-PBS TRANSACTION	НВ	%	3	90%	90.00%	Achieved					
23	GIS Mapping of 11 KV Backbone Lines	НВ	Km	1	307	307	Achieved					
24	GIS Mapping of 33 KV Lines	НВ	Km	1	46	46	Achieved					
			*									



দপ্তর/সংস্থার আবশ্যিক কৌশলগ্র উদ্দেশ্যসমূহ, ২০২০-২১ (মোট নমর-২৫)

		E 68	(G19172) \$0 .			Qia	0	80		80	80		80			85.65	20/02/25	20/05/25	40,000		20	Procedure and an annual section of the section of t		24/20/27		200%	92.20	PROPERTY OF THE PROPERTY OF TH	£		98.49	20/22/20
			57115	fires (Door)		The state of the s		4					×		Name of the last o	***************************************	1	,	American constitution of the second		1			i		>	2		,		# -	,
		~	Series appr	9	7,908				5	1		***************************************	,			14/1-4/1-1	\$6/00/55	24/04/23	0%	***************************************	3	TOTAL SECTION AND AND AND AND AND AND AND AND AND AN				man constitution and a second			00	WOON CONCERNATION OF THE PERSON OF T); }	
	9	क्षेत्रमाहाङ्ग मान २०२० २०२১	1000		%0A		The state of the s		*	18	N				C.S.	12/00/21	ex/00/30	20/08/22	09	ANA-	,			,	43	0	0.4		09	7.6		26/04/43
		TO IN THE STATE OF	3 e 562	5 G	200			3 6	3	9	9		9		0,6	10/00/01		36/00/53	0		00	9999 000 0000 0000 0000 0000 0000 0000		5:	SA	2	0		90	CX.	1	
			कृति अस्ति <u>४३</u>	Sylviso (Excellent)	200%	90	2	ox.	NO. O CONTRACTOR CONTR	00)	∞		50		0,0	56/05/55		40/04/45	¢c.		Ċ			•	Soo		200		0 40	90	10/13/30	27/20/20
の一直を			4874× VE	(Weight of PI)		N N		Ŋ	W. A.		· N		N		N	n	,	¥	^		^		^		2		n		^	^	^	
		e de		Nyage	New	NEWIT		N/MI	भूदर्ग		अश्वा		%	अश्यो	Mack	16.31	क्रमधक	100000000000000000000000000000000000000	7	***************************************	त्रश्या		189	2%		2%		2/5	3/2	West of the Control o		
8-10-18-8			and the property of	(refromance indicator)		(১১১) এপিএই সন্ধল ত্রেমালিক প্রতিবেশন ওয়ের সাইটে প্রকাশিত	[১.১.২] এপিএ টিমের মাসিক সভা অনুষ্ঠিত্ত	১.২.১ মতবিদিময় সভা অনুষ্ঠিত	। ५.५.४ व्यवस्थित्य त्रक्षा वास्त्रक्षित्र		15.8.5) 44146649 YEI WITH WE	(১.৫.১) ক্রৈমাসিক প্রতিবেদন প্রেরড			২.১.১ ই-শখতে লোট নিম্পান্তিকত	২.২.১ একটি নতুন ডিজিটাল সেবা চালুক্ত	(২.৩.১) একটি সহজিকৃত সেবা অধিক্ষেত্রে	বারবায়ত	বি.৪.১) ঘটোক কমচাবার জন্য প্রাশাস্থল আয়োজিত	১.৪.১ ১০২ গ্রেড ও ডদঙ্গ প্রত্যাক কম্মানবীদক	এশিএ বিষয়ে প্রদত্ত প্রশিক্ষণ	(२.৫.১) मानका এकि जाउँ विम	দৰ্জ্য/একজন কৰ্মচারীকৈ এশিএ বান্তবায়নের	क्रमा श्राममा श्रममक्र	(৩.১.১) ক্রয় পরিকল্পনা অনুযায়ী ক্রয় সম্পাদিত	তি.২.১ বাৰিক উন্নয়ন কৰ্মসূচি (এডিপি)/বাজেট	বাধবায়িত	(৩.৩.১) ত্রিপকীয় সভায় উপস্থাশনের জন্য	মন্তৰালয়ে প্ৰস্তাব প্ৰেরিক	তি.৩.২ অডিট আপত্তি নিম্পত্তিকৃত	(৩.৪.১) হালনাগাদকত স্থাবন ও অস্থাবন সংক্ষাতিক ক্ষ্যী	াতে আবকা মন্ত্রালয়/বিভাসে যোৱত
G-rike2	welzen (Activities)			১.১) বাহিল কাস্সকাদন চুক্তি (এজিএ)	100797	১.২ জনাচার/জন্ম চচার বিষয়ে অংশীজনদের নক্তে মত্রিনিম্য	(১.৩) মডিয়োগ প্রতিকার ব্যবস্থা নিষয়ে	সেবামহীতা/মংশীজনদের অবহিতকরণ ১ হা সেবা জন্ম প্রকল্য নিক্রম	সেধামহাতাদের অবহিতকরণ	(১.৫) তথ্য বাতায়ন হালনাগাদ সংক্রান্ত	<u>মেমাসিক প্রতিবেদন উদ্ধান কর্ণকের</u> নিক্রী পেরম			্যুকরণ	২.৩ সেবা সহজিক্ষণ	0 8 खर्रात्रायीमय अभिक्षा अस्य		The state of the s		২.৫ এপিএ বাস্তবায়ন প্রলোদনা প্রদান			বান্তবায়ন	৩.২) বার্ষিক উন্নয়ন কর্মসূচি		শতিট আপতি নিম্পতি কাৰ্যক্ৰমের	्रमाया । विकास मान्या ।		(৩.৪) হালনাগাদক্ত স্থাবর ও অস্থাবর সম্পদ্ধির ভালিকা মঞ্চলাল্যনিজ্যাস সেবল	-		
A. 12 (1995)		(Salahala)	(Weight of	Strategic Objectives)	Objectives)								*	e						1				Ð					bassad		And a control of the second se	
5-Elway	হৈশ্বশগতে উদ্দেশ্য (Strategic Objectives) সম্ভান ধৃদ্ধি ও স্বাধ্বনিধি নিচিতকরণ									S SET TRANSPORT	शिकिमेक्सिका खानामा व	See the see									Mark 6 shall	23 4 5 1 4 1 5 6 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5						energennossens and consequences and consequences are a second and consequences.				

E. Purification (20-21-April 21 to June 21: Shudaquer Perification (20-21-April 21 to June 21: Shudaquer Per

3 मि प्रिस्त कानी न कार्डक एन्स करा के गड़े तका के लहार भीवांट