



Government of the People's Republic of Bangladesh  
Department of Public Health Engineering  
Water Testing Laboratory, Cox's Bazar.  
E-mail: wqmsc.coxbazarlab@gmail.com



শেখ হাসিনার মূলনীতি  
গ্রাম শহরের উন্নতি

Lab Memo: 314

Date: 28/03/2024.

### Physical/Chemical/Bacteriological Analysis of Water Sample

Lab ID: 266	Number Of Sample: 30 No.	Sample Received Date: 20/03/2024
Sent By: Sub-Assistant Engineer, DPHE, Karnaphuli, Chattagram.		Sample Source: Ground Water.
Ref. Memo No:46.03.1539.401.16.71.23-91	Date: 18/03/2024	Dist: Chattagram.
Sample Collection Date:		Date Of Testing: 20/03/2024 to 28/03/2024

### Laboratory Test Result

SL	Name Of Caretaker/Near Household	Village/Ward	Union/ Pouroshova	Upazila	Parameter			Lab SL
					Arsenic (mg/L) BDS: 0.05	Iron (mg/L) BDS:0.03-1.0	Chloride (mg/L) BDS:150-600	
1	Mizanur Rahman	Poschim Chorlankhya	Chorlankhya	Karnaphuli	<0.001	0.27	115	7680
2	Abdul Karim	Boro Uthan	Boro Uthan	Karnaphuli	<0.001	1.3	15	7681
3	Md Shofi	Boro Uthan	Boro Uthan	Karnaphuli	<0.001	3.3	8	7682
4	Ilias Khan Jame Masjid	Boro Uthan	Boro Uthan	Karnaphuli	0.001	3.6	12	7683
5	Md Ismail	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	2.1	10	7684
6	Sayed Md Morshedul Alom	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	1.6	20	7685
7	Md Nasir Uddin	Boro Uthan	Boro Uthan	Karnaphuli	<0.001	4.2	10	7686
8	Uttpol Dhor	Boro Uthan	Boro Uthan	Karnaphuli	<0.001	4.9	230	7687
9	Anamul Haque Raesl	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	16.2	950	7688
10	Md Mukter Hossain	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	0.30	125	7689
11	Faruk Hossain	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	0.80	2800	7690
12	Md Mosa	Shah Mirpur	Boro Uthan	Karnaphuli	<0.001	0.20	545	7691
13	Sayed Md Hasan	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	1.4	75	7692
14	Hemonto Dey	Dowlotpur Muripara	Boro Uthan	Karnaphuli	<0.001	1.7	190	7693
15	Shamsul Alom	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	2.2	35	7694
16	Md Abdur Shukur	Dowlotpur	Boro Uthan	Karnaphuli	<0.001	1.6	25	7695
17	Md Didarul Isslam	Shah Mirpur	Boro Uthan	Karnaphuli	<0.001	2.9	15	7696
18	Md Jahangir Alom	Boro Uthan	Boro Uthan	Karnaphuli	<0.001	2.2	25	7697
19	Md Rejaul Karim	Shah Mirpur	Boro Uthan	Karnaphuli	<0.001	0.78	12	7698
20	Sale Ahammod	Shah Mirpur	Boro Uthan	Karnaphuli	<0.001	2.7	10	7699
21	Jahanara Perbin	Dangarchor	Jolda	Karnaphuli	0.002	0.25	1550	7700
22	Md Rofiq	Dangarchor	Jolda	Karnaphuli	<0.001	0.55	45	7701
23	Md Mojammel Haque	Jolda	Jolda	Karnaphuli	<0.001	0.41	220	7702
24	Sekandor	Jolda	Jolda	Karnaphuli	0.006	0.54	805	7703
25	Md Osman	Jolda	Jolda	Karnaphuli	<0.001	0.33	50	7704
26	Abdunnur	Jolda	Jolda	Karnaphuli	0.007	0.34	195	7705
27	Md Abu Jafor	Jolda	Jolda	Karnaphuli	0.001	0.82	85	7706
28	Moinul Haque Imon	Jolda	Jolda	Karnaphuli	0.001	0.68	265	7707

SL	Name Of Caretaker/Near Household	Village/Ward	Union/ Pouroshova	Upazila	Parameter			Lab SL
					Arsenic (mg/L) BDS: 0.05	Iron (mg/L) BDS:0.03-1.0	Chloride (mg/L) BDS:150-600	
29	Md Jahangir Alom	Jolda	Jolda	Karnaphuli	0.009	0.57	900	7708
30	Md Jahangir Alom	Uttor Jolda	Jolda	Karnaphuli	<0.001	0.86	135	7709


*Samples collected and sent by the client and analyzed in this lab as received.*

*Work Order: 1898, Date: 13/121/2022,*

Test Performed by

Name: Md. Abdus Selim


Designation: Sample Analyzer

  
**Md. Abdus Selim**  
 Sample Analyzer  
 Department of Public Health Engineering  
 Water Testing Laboratory, Cox's Bazar.

Counter Signed by:

Name: Mohammad Shofiqul Islam

Designation: Junior Chemist

  
**Mohammad Shofiqul Islam**  
 Junior Chemist  
 Department of Public Health Engineering  
 Water Testing Laboratory  
 Cox's Bazar.



Government of the People's Republic of Bangladesh  
Department of Public Health Engineering  
Water Testing Laboratory, Cox's Bazar.  
E-mail: wqmsc.coxbazarlab@gmail.com



শেখ হাসিনার মূলনীতি  
গ্রাম শহরের উন্নতি

Lab Memo: 315

Date: 28/03/2024

### Physical/Chemical/Bacteriological Analysis of Water Sample

Lab ID: 267	Number Of Sample: 70 No.	Sample Received Date: 21/03/2024
Sent By: Sub-Assistant Engineer, DPHE, Sitakunda, Chattagram.		Sample Source: Ground Water.
Ref. Memo No:46.03.1586.301.06.001.24-210, Date: 20/03/2024		Dist: Chattagram.
Sample Collection Date:		Date Of Testing: 21/03/2024 to 28/03/2024

### Laboratory Test Result

SL	Name Of Caretaker/Near Household	Village/Ward	Union/ Pouroshova	Upazila	Parameter			Lab SL
					Arsenic (mg/L) BDS: 0.05	Iron (mg/L) BDS:0.03-1.0	Chloride (mg/L) BDS:150-600	
1	Md Abdul Korim	Bhaterkhil	Moradpur	Sitakunda	0.011	0.62	165	7710
2	Abul Kalam	Bhaterkhil	Moradpur	Sitakunda	0.007	0.12	108	7711
3	Md Alauddin	Guliakhali	Moradpur	Sitakunda	0.003	0.07	180	7712
4	Anwara Begum	Bhaterkhil	Moradpur	Sitakunda	<0.001	0.82	80	7713
5	Nasima Akhter	Bhaterkhil	Moradpur	Sitakunda	0.003	<0.05	155	7714
6	Sajjad Hossain	Guliakhali	Moradpur	Sitakunda	0.008	0.92	90	7715
7	Hosiul Alom	Uttor Bhaterkhil	Moradpur	Sitakunda	0.001	0.75	145	7716
8	Amzad Hossen	Golabaria	Moradpur	Sitakunda	0.003	0.15	210	7717
9	Faruk Ahammad	Bhaterkhil	Moradpur	Sitakunda	0.001	0.25	65	7718
10	Jorina Begum	Moradpur	Moradpur	Sitakunda	0.003	0.07	175	7719
11	Md Shohidul Islam	Purbo Moradpur	Moradpur	Sitakunda	<0.001	0.76	100	7720
12	Md Ayoub Ali	Bhaterkhil	Moradpur	Sitakunda	0.004	0.22	125	7721
13	Shahinur Islam	Bhaterkhil	Moradpur	Sitakunda	<0.001	0.90	100	7722
14	Md Mohosin	Purbo Lalanogor	Baroiadala	Sitakunda	<0.001	0.07	115	7723
15	Ayoub Uddin	Baroiadala	Baroiadala	Sitakunda	0.002	0.31	135	7724
16	Shohidullah	Bohorpur	Baroiadala	Sitakunda	0.001	0.41	135	7725
17	Md Abu Toyab	Baroiadala	Baroiadala	Sitakunda	0.001	0.22	110	7726
18	Md Nurul Alom	Baroiadala	Baroiadala	Sitakunda	0.003	0.16	80	7727
19	Kamal Uddin	Purbo Lalanogor	Baroiadala	Sitakunda	0.001	0.48	110	7728
20	Didarul Alom	Purbo Lalanogor	Baroiadala	Sitakunda	0.003	0.68	70	7729
21	Md Rofiqullah	Purbo Lalanogor	Baroiadala	Sitakunda	<0.001	0.07	110	7730
22	Md Nurul Islam	Moddo Ghuramara	Sonaichori	Sitakunda	0.003	0.24	85	7731
23	Summon Das	Shitolpur	Sonaichori	Sitakunda	<0.001	0.73	85	7732
24	Ponthishah Masjid	Doksin Sonaichori	Sonaichori	Sitakunda	<0.001	0.15	125	7733
25	Nozrul Islam	Modddo Sonaichori	Sonaichori	Sitakunda	0.003	0.16	150	7734
26	Shah Jamal	Solimpur	Solimpur	Sitakunda	<0.001	0.73	105	7735
27	Md Fozlul Haque	Jafrabad	Solimpur	Sitakunda	0.005	0.37	95	7736
28	Hasina Begum	Eyakub Nogar	Pourashova	Sitakunda	0.004	0.12	175	7737
29	Hasnabad Jame Masjid	Bhatiari	Bhatiari	Sitakunda	<0.001	0.63	125	7738
30	Md Mizan	Uttor Kattroli	Uttor Kattroli	Sitakunda	0.005	0.07	130	7739
31	Md Kamrul Hossen	Pourashova	Pourashova	Sitakunda	0.003	0.68	60	7740
32	Md Mobarok Hossen	Uttor Bansbaria	Bansbaria	Sitakunda	0.004	0.06	165	7741

SL	Name Of Caretaker/Near Household	Village/Ward	Union/ Pouroshova	Upazila	Parameter			Lab SL
					Arsenic (mg/L) BDS: 0.05	Iron (mg/L) BDS:0.03-1.0	Chloride (mg/L) BDS:150-600	
33	Mahbul Haque	Doksin Mahmudabad	Barobkundo	Sitakunda	0.006	0.72	100	7742
34	Momtaz Begum	Hati Lota	Barobkundo	Sitakunda	<0.001	0.67	125	7743
35	Sitakundo Press Cloub	Doksin Mahmudabad	Barobkundo	Sitakunda	0.005	0.54	185	7744
36	Rojina Akter	Jafornogor	Sayedpur	Sitakunda	0.005	1.0	80	7745
37	Nur Banu	Poschim Bakkhali	Sayedpur	Sitakunda	0.005	0.87	175	7746
38	Didarul Alom	Purbo Sayedpur	Sayedpur	Sitakunda	0.001	0.08	95	7747
39	Asmaul Hosna	Jafornogor	Sayedpur	Sitakunda	0.001	0.65	95	7748
4	Md Azom Uddin	Doksin Kedarkhil	Sayedpur	Sitakunda	0.003	0.09	240	7749
41	Rehahna Akter	Poschim Sayedpur	Sayedpur	Sitakunda	0.001	0.16	185	7750
42	Ali Akbor	D. P. Sayedpur	Sayedpur	Sitakunda	0.002	0.07	150	7751
43	Md Shohidul Islam	Poschim Bakkhali	Sayedpur	Sitakunda	0.002	1.3	170	7752
44	Jahed Hasan	Jafornogor	Sayedpur	Sitakunda	0.003	0.16	150	7753
45	Mir Md Nozrul Islam	Kedarkhil	Sayedpur	Sitakunda	0.001	0.83	100	7754
46	Hamidur Rahman	Sayedpur	Sayedpur	Sitakunda	<0.001	1.6	945	7755
47	Nur Ahammod Summon	Poschim Sayedpur	Sayedpur	Sitakunda	<0.001	0.10	155	7756
48	Md Ismail	Uttor Bogachottor	Sayedpur	Sitakunda	<0.001	0.32	375	7757
49	Nurul Huda	Poschim Bakkhali	Sayedpur	Sitakunda	<0.001	0.68	125	7758
50	Saiful Islam	Doksin Bogachottor	Sayedpur	Sitakunda	0.002	0.07	160	7759
51	Abu Nur	Uttor Bogachottor	Sayedpur	Sitakunda	0.002	1.2	445	7760
52	Md Abul Monsur Buiya	Bakkhali	Sayedpur	Sitakunda	0.003	0.33	195	7761
53	Md Hossen	Purbo Bakkhali	Sayedpur	Sitakunda	<0.001	0.26	125	7762
54	Pervin Akter	Bosorot Nogor	Sayedpur	Sitakunda	0.002	0.82	90	7763
55	Rejia Begum	Poschim Sayedpur	Sayedpur	Sitakunda	<0.001	1.0	100	7764
6	Harunur Roshid	Jafornogor	Sayedpur	Sitakunda	0.002	0.05	100	7765
57	Jesmin Akter	Bakkali	Sayedpur	Sitakunda	0.002	0.18	60	7766
58	Nurul Amin	Poschim Bakkhali	Sayedpur	Sitakunda	0.002	0.38	130	7767
59	Teheratul Pervin	Jafornogor	Sayedpur	Sitakunda	0.016	0.61	110	7768
60	Jusna Begum	Poschim Bakkhali	Sayedpur	Sitakunda	0.005	0.11	200	7769
61	Mujahid Alom Shahrirar	-	Sayedpur	Sitakunda	0.005	0.18	125	7770
62	Md Kamal Uddin	Sayedpur	Sayedpur	Sitakunda	0.005	0.46	210	7771
63	Afsana Mimi Shanto	-	Sayedpur	Sitakunda	0.005	0.17	115	7772
64	Semna Begum	D. P. Sayedpur	Sayedpur	Sitakunda	0.007	0.35	195	7773
65	Kamal Uddin	Mohanogor	Sayedpur	Sitakunda	0.006	0.15	115	7774
66	Md Shorif	Shibpur	Sayedpur	Sitakunda	0.007	0.35	320	7775
67	Jotindro Mohan Das	D. P. Sayedpur	Sayedpur	Sitakunda	0.006	0.17	100	7776
68	Md Alomgir	Mohanogor	Sayedpur	Sitakunda	0.010	0.35	200	7777
69	Md Alauddin	Jafornogor	Sayedpur	Sitakunda	0.007	0.18	115	7778
70	Mintu Kumar Das	Uttor Bogachottor	Sayedpur	Sitakunda	0.016	0.52	195	7779

Samples collected and sent by the client and analyzed in this lab as received.

Work Order: 1897, Date: 13/12/2022,

<p><u>Test Performed by</u></p> <p>Name: Md. Abdus Selim Designation: Sample Analyzer</p> <p><i>Md. Abdus Selim</i> 28/12/2022 Md. Abdus Selim Sample Analyzer Department of Public Health Engineering Water Testing Laboratory, Cox's Bazar.</p>	<p><u>Counter Signed by:</u></p> <p>Name: Mohammad Shofiqul Islam Designation: Junior Chemist</p> <p><i>Mohammad Shofiqul Islam</i> 28/12/2022 Mohammad Shofiqul Islam Junior Chemist Department of Public Health Engineering Water Testing Laboratory Cox's Bazar.</p>
---	---